

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch Germany

- · Further information obtainable from:
- Abteilung Produktsicherheit

Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

## **SECTION 2: Hazards identification**

 $\cdot$  2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



▼	
Eye Irrit. 2 H319	Causes serious eye irritation.
STOT SE 3 H336	May cause drowsiness or dizziness.

· 2.2 Label elements

## $\cdot$ Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling: propan-2-ol

(Contd. on page 2)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

### Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

(Contd. of page 1)

· Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210 No smoking. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	propan-2-ol	50-100%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 74-98-6	propane	2.5-10%
EINECS: 200-827-9	🚸 Flam. Gas 1, H220; Press. Gas C, H280	
CAS: 106-97-8	CAS: 106-97-8 butane 2.5-1	
EINECS: 203-448-7	🚸 Flam. Gas 1, H220; Press. Gas C, H280	
Additional information. For the wording of the listed because refer to eastion 16		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

- No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available. (Contd. on page 3)

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

#### Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e.

electric lights. Do not pierce or burn, even after use. Do not spray onto a naked flame or any incandescent material.

### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm

Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

(Contd. of page 2)

<sup>· 8.1</sup> Control parameters

<sup>·</sup> Ingredients with limit values that require monitoring at the workplace:

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

(Contd. of page 3)

#### Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. • **Respiratory protection:** 

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands: Not required.

- · Material of gloves -
- · Penetration time of glove material -
- · Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Appearance: Form:	Aerosol
Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: -42 °C (Propane)
· Flash point:	Not applicable, as aerosol.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits:	
Lower:	1.7 Vol % (Propane)
Upper:	11.8 Vol % (Propane)
· Vapour pressure at 20 °C:	4.5 bar
· Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
	(Contd. on page 5 c
	(Contd. or

Printing date 19.03.2019

Version number 1

Not determined.

Revision: 19.03.2019

(Contd. of page 4)

#### Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

Kinematic	
-----------	--

· Solvent content:

VOC (EC) · 9.2 Other information 78 % No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

 $\cdot$  Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- $\cdot$  12.2 Persistence and degradability No further relevant information available.
- $\cdot$  12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- $\cdot$  12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- $\cdot$  12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

## Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

(Contd. of page 5)

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### · European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

07 06 99 wastes not otherwise specified

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1950
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> </ul>	1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
· IMDG · IATA	AEROSOLS AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
ADR	
· Class	2 5F Gases.
Label	2.1
Class	2.1
·Label	2.1
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Warning: Gases.
· Danger code (Kemler): · EMS Number:	- F-D,S-U
<ul> <li>14.7 Transport in bulk according to Annex II o Marpol and the IBC Code</li> </ul>	f Not applicable.
	(Contd. on page 7

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

#### Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

	(Contd. of page 6)
· Transport/Additional information:	
· ADR	
<ul> <li>Excepted quantities (EQ):</li> </ul>	EO
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
Tunnel restriction code	D
·IMDG	
<ul> <li>Limited quantities (LQ)</li> </ul>	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1987, ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, II

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 GHS label elements

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Other regulations, limitations and prohibitive regulations Zolltarifnummer: 3004 90 00

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Recommended restriction of use Product only for professional use

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2

(Contd. on page 8)

GB

Printing date 19.03.2019

Version number 1

Revision: 19.03.2019

Trade name: RUCK® Haut- und Händedesinfektion, Aerosol-Sprühflasche

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

(Contd. of page 7)