

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

· 1.1 Product identifier

· Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

· 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Surface disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH Otto-Hahn-Ring 6-18 D-64653 Lorsch

Distributor:

Hellmut Ruck GmbH Daimlerstraße 23 D-75305 Neuenbürg

- · Further information obtainable from: Alexander.Metz@prisman.de
- · 1.4 Emergency telephone number: ++49 (0) 6251 866 980 0, Mo Fr 9 17 Uhr

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Sol. 1 H228 Flammable solid.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 1)

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains biocidal products: propan-1-ol, propan-2-ol

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.
- SECTION 3: Composition/information on ingredients
- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	10-25%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 RTECS: NT 8050000 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	2.5-10%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Sk

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.

(Contd. on page 4)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 3)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

For the permanent contact gloves made of the following materials are suitable:

Polychloroprene - CR (0.5 mm): Breakthrough time > 4 h

Nitrile rubber/nitrile latex - NBR (0.35 mm): Breakthrough time > 4h

Butyl rubber - Butyl (0.5 mm): Breakthrough time > 8 h Fluororubber - FKM (0.4 mm): Breakthrough time > 8 h

Polyvinyl chloride - PVC (0.5 mm): Breakthrough time > 4 h

This recommendation is based exclusively on the chemical compatibility and the test according to EN 374 under laboratory conditions.

Depending on the application, different requirements may arise. Therefore the

Therefore, the recommendations of the protective glove supplier must also be taken into account.

Neoprene gloves

· As protection from splashes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:

Solid
Colourless
Alcohol-like
Not determined.

• Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range 82 °C

· Flammability Not determined.

(Contd. on page 5)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 4) · Lower and upper explosion limit · Lower: 2.1 *Vol* % (1-Propanol) 13.5 Vol % (1-Propanol) · Upper: *30* °*C* · Flash point: 360 °C · Auto-ignition temperature: · Decomposition temperature: Not determined. $\cdot pH$ Not applicable. · Viscosity: Not applicable. · Kinematic viscosity · Dynamic: Not applicable. ·Solubility Soluble. · water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 23 hPa · Density and/or relative density · Density at 20 °C: $0.96 \, \text{g/cm}^3 \, (\text{liquid})$ · Relative density Not determined. · Vapour density Not applicable. · 9.2 Other information · Appearance: · Form: Liquid on inert carrier material · Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: · Organic solvents: 25.0 % · Water: 74.9 % 25 % · VOC (EC) · Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Flammable solid. · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void

(Contd. on page 6)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 5)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
71-23-8 pr	71-23-8 propan-1-ol		
Oral	LD50	5,400 mg/kg /male (rat)	
Dermal	LD50	4,032 mg/kg (rabbit)	
Inhalative	LC50/4 h	>33.8 mg/l /4h (rat)	
67-63-0 pr	67-63-0 propan-2-ol		
Oral	LD50	5,840 mg/kg (rat)	
Dermal	LD50	13,900 mg/kg (rabbit)	
		>25 mg/l (rat)	

- · Serious eye damage/irritation Causes serious eye irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

71-23-8	propan-1-ol

EC50 1,000 mg/l (Bel) 3,644 mg/l (daphnia)

LC50/96h 4,555 mg/l (fish)

67-63-0 propan-2-ol

EC50	> 100 mg/l (A)
	>100 mg/l (A) >100 mg/l (B) 9,640 mg/l (fish)
LC50/96h	9,640 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 6)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN3175
14.2 UN proper shipping name ADR IMDG, IATA	3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O (n-PROPANOL (PROPYL ALCOHOL, NORMAL) ISOPROPANOL (ISOPROPYL ALCOHOL)) SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (I PROPANOL (PROPYL ALCOHOL, NORMAL) ISOPROPANOL (ISOPROPYL ALCOHOL))
	4.1 Flammable solids, self-reactive substances, polymerizing substances and solid desensitived employings
ADR, IMDG, IATA Class Label	4.1 Flammable solids, self-reactive substances, polymerizin substances and solid desensitized explosives 4.1
Class Label 14.4 Packing group	substances and solid desensitized explosives
Class	substances and solid desensitized explosives 4.1

GB

Printing date 22.02.2024 *Version number 8 (replaces version 7)* Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

	(Contd. of page
· EMS Number:	F- A , S - I
· 14.7 Maritime transport in bulk accord	ling to IMO
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· IMDG	
· Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

GHS label elements

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H228 Flammable solid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS

(Contd. on page 9)

Printing date 22.02.2024 Version number 8 (replaces version 7) Revision: 05.02.2024

Trade name: RUCK® R. fect Flächendesinfektionstücher alkoholisch

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: very\ Persistent\ and\ very\ Bioaccumulative$

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Sol. 1: Flammable solids – Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

GB ·